

EAST SEARCH 03/16/2007 TLM *Conrad L. McManis*

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	1361	712/239-244.ccls.	USPAT
2	BRS	L2	270	712/205.ccls.	USPAT
3	BRS	L3	350	712/208.ccls.	USPAT
4	BRS	L4	147	712/211.ccls.	USPAT
5	BRS	L5	142	712/201.ccls.	USPAT
6	BRS	L6	108	712/25.ccls.	USPAT
7	BRS	L7	71	712/26.ccls.	USPAT
8	BRS	L8	54	712/27.ccls.	USPAT
9	BRS	L9	17752	data near2 driven	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
10	BRS	L10	396	data near2 driven near2 processor	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
11	BRS	L11	416	data near2 driven near2 \$4processor\$3	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
12	BRS	L12	0	hybrid same (data near2 driven near2 \$4processor\$3)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
13	BRS	L14	0	reservation adj station near2 token	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
14	BRS	L15	0	(reservation adj station) near2 token	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
15	BRS	L17	18	(data near2 driven) with (token)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
16	BRS	L19	189	link adj pointers	USPAT
17	BRS	L20	281	link adj pointers	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
18	BRS	L21	0	contemporaneous adj link adj pointers	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
19	BRS	L22	281	link adj pointers	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
20	BRS	L24	0	(link adj pointer) same (register adj set)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
21	BRS	L25	137	(link adj pointer) same register	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
22	BRS	L26	72	(link adj pointer) with register	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
23	BRS	L27	0	(conditional adj link adj pointer) with register	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
24	BRS	L28	0	(conditional adj link adj pointer)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
25	BRS	L31	0	(conditional adj execution adj block) and (link adj pointers)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
26	BRS	L35	330	712/234.ccls.	USPAT
27	BRS	L36	293	712/226.ccls.	USPAT
28	BRS	L37	136	712/224.ccls.	USPAT
29	BRS	L38	590	712/235-238.ccls.	USPAT
30	BRS	L39	457	712/216.ccls.	USPAT
31	BRS	L40	419	712/218.ccls.	USPAT
32	BRS	L41	142	712/201.ccls.	USPAT
33	BRS	L42	108	712/25.ccls.	USPAT
34	BRS	L43	71	712/26.ccls.	USPAT
35	BRS	L44	54	712/27.ccls.	USPAT
36	BRS	L45	17752	data near2 driven	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
37	BRS	L46	396	data near2 driven near2 processor	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
38	BRS	L47	416	data near2 driven near2 \$4processor\$3	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
39	BRS	L48	0	hybrid same (data near2 driven near2 \$4processor\$3)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
40	BRS	L49	0	reservation adj station near2 token	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
41	BRS	L50	0	(reservation adj station) near2 token	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
42	BRS	L51	18	(data near2 driven) with (token)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
43	BRS	L52	189	link adj pointers	USPAT
44	BRS	L53	281	link adj pointers	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
45	BRS	L54	0	contemporaneous adj link adj pointers	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
46	BRS	L55	281	link adj pointers	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
47	BRS	L56	0	(link adj pointer) same (register adj set)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
48	BRS	L57	137	(link adj pointer) same register	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
49	BRS	L58	72	(link adj pointer) with register	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
50	BRS	L59	0	(conditional adj link adj pointer) with register	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
51	BRS	L60	0	(conditional adj link adj pointer)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
52	BRS	L61	0	(conditional adj execution adj block) and (link adj pointers)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
53	BRS	L72	342	pointer with register with pipeline	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
54	BRS	L74	0	pointer with register with travers\$3 with pipeline	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TD B
55	BRS	L76	0	instruction with block with pointer with register with pipeline with condition\$3	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TD B
56	BRS	L77	0	instruction with block with pointer with register with pipeline with speculat\$4	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TD B
57	BRS	L18	1	"6421774".pn.	USPAT
58	BRS	L62	1	"6421774".pn.	USPAT

	Type	L #	Hits	Search Text	DBs
59	BRS	L13	10	(instruction near2 driven near2 \$4processor\$3) same (data near2 driven near2 \$4processor\$3)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
60	BRS	L16	3	(data near2 driven) near3 (token)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
61	BRS	L23	2	L22 with tags	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
62	BRS	L29	12	conditional adj execution adj block	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
63	BRS	L30	2	"5197140".pn.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
64	BRS	L32	2	"6988190".pn.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
65	BRS	L33	2	"6988190".pn.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
66	BRS	L34	16	(instruction near2 block) with (branch near2 history)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
67	BRS	L63	10	(instruction near2 driven near2 \$4processor\$3) same (data near2 driven near2 \$4processor\$3)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
68	BRS	L64	3	(data near2 driven) near3 (token)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
69	BRS	L65	2	L55 with tags	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
70	BRS	L66	12	conditional adj execution adj block	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
71	BRS	L67	2	"5197140".pn.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
72	BRS	L68	2	"6988190".pn.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
73	BRS	L69	2	"6988190".pn.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
74	BRS	L70	16	(instruction near2 block) with (branch near2 history)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
75	BRS	L73	10	condition\$4 with pointer with register with pipeline	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TD B
76	BRS	L75	60	instruction with block with pointer with register with pipeline	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
77	BRS	L78	2	"5822579".pn.	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TD B
78	BRS	L71	1361	712/239-244.ccls.	USPAT